

ALUMINUM WINDOWS & DOORS

The Rainbow Home collection

Presented by Kallisto NV



THE PARTNERSHIP

One collection. A local point of contact.

Explore Rainbow Home aluminum window and door systems with Kallisto NV as your sales contact.

PRODUCT BRAND

Rainbow Home

Aluminum window and door systems.
Product series, opening options, profiles and finishes for your project.

SALES PARTNER

Kallisto NV

Your first contact for this collection.
Product enquiries, quotation requests and project requirements.

FROM SELECTION TO ENQUIRY

01 Choose your system

Compare the models, opening configurations and profile details in this catalogue.

02 Prepare your project brief

Include opening sizes, quantity, finish, flyscreen preferences and any drawings.

03 Contact Kallisto NV

Send your selected systems and project brief to the sales contact below.

PRODUCT ENQUIRIES

kallistoaruba@gmail.com

Explore the collection

Product systems, opening configurations and technical details.

The partnership 02

WINDOW SYSTEMS

01	50/70 Casement Window & Awning Window	04
02	110 Casement & Tilt-and-Turn Window with Flyscreen Casement / Tilt & Turn / Casement & Top-Hung Awning	05-06
03	75 Sliding Window	07
04	90/110 Sliding Window with Flyscreen	08
05	73 Folding Window	09
06	70 Lift Window	10
07	158 Electric Lift Window	11

DOOR SYSTEMS

08	50/70 Casement Door	12
09	85/110 Casement Door with Flyscreen	13
10	126 Two-Track Sliding Door	14
11	186 Three-Track Sliding Door with Flyscreen	15
12	73 Folding Door	16
13	150 Electric Sliding Door	17
14	120 Panoramic Sliding Door	18
15	76 Lift Door	19
16	Ultra-narrow Sliding Door	20
17	Medium-narrow Swing Door	21


Contact Kallisto NV 22

Choose your system and send your project details to Kallisto NV.

WINDOW SYSTEMS

50/70 Casement Window & Awning Window


Casement and top-hung awning opening configurations.



OPENING OPTIONS



CASEMENT
Side-hinged opening



AWNING
Top-hinged

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Casement / top-hung awning
Finishes	Sand Grey, Coffee and White (customizable)
Applications	Residences, villas, commercial spaces, offices and large balconies

Design style: Modern

PRODUCT FEATURES

- Thermal insulation and dedicated drainage design
- Multiple finish options
- High strength; acid and alkali resistance
- Anti-theft performance and long service life
- Easy installation, cleaning and maintenance

WINDOW SYSTEMS

110 Casement & Tilt-and-Turn Window with Flyscreen

A flyscreen series with three opening systems.



PROFILE SECTION

THREE OPENING SYSTEMS - SEE PAGE 06

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Casement (outward)
Finishes	Black, Sand Grey and White (customizable)
Applications	Residences, villas, commercial spaces, offices and large balconies

Design style: Modern

PRODUCT FEATURES

- Thermal insulation and dedicated drainage design
- Multiple finish options
- High strength; acid and alkali resistance
- Anti-theft performance and long service life
- Easy installation, cleaning and maintenance

Ventilation area up to 80%

Daylight area up to 90%

WINDOW SYSTEMS

110 Series with Flyscreen

Casement, tilt-and-turn and top-hung awning systems.


ONE SERIES. THREE OPENING SYSTEMS.

Choose the opening configuration to suit your project.

01 Casement

Side-hinged sash opens outward.


OUTWARD OPENING




02 Tilt & Turn

Turns inward for a full opening. Tilts inward at the top for ventilation.

TWO INWARD OPENING MODES



TURN INWARD




TILT INWARD


03 Casement & Top-Hung Awning

Side-hinged casement and outward top-hung opening options.

TWO OUTWARD OPENING OPTIONS



CASEMENT




TOP-HUNG

Opening schematics. Flyscreen configurations available across the 110 series.

WINDOW SYSTEMS

75 Sliding Window

Drift-and-slide operation with a sealed window structure.



PROFILE SECTION

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Sliding
Finishes	Metallic Grey, Metallic Brown and Metallic Coffee (customizable)
Applications	Residences, villas, commercial spaces, offices and large balconies

Design style: Modern

PRODUCT FEATURES

- Thermal insulation and dedicated drainage design
- Multiple finish options
- High strength; acid and alkali resistance
- Anti-theft performance and long service life
- Easy installation, cleaning and maintenance

WINDOW SYSTEMS

90/110 Sliding Window with Flyscreen

Sliding glazing with a flyscreen configuration.



PROFILE SECTION



SLIDING WINDOW WITH FLYSCREEN


OPERATING CONCEPT

SLIDING OPENING

Move the glazed sash sideways.



FLYSCREEN



Flyscreen configuration alongside the glazing.


PLAN YOUR WINDOW

Send the series, opening sizes and project details to kallistoaruba@gmail.com.

WINDOW SYSTEMS

73 Folding Window

Folding window configurations for wide, flexible openings.



SPECIFICATIONS


Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Folding
Finishes	Black, Sand Grey and White (customizable)
Applications	Residences, villas, commercial spaces and offices

Design style: Modern

PRODUCT FEATURES

- Folding panels with a wide opening range
- Flexible window configurations
- Multiple colors and styles
- Thermal and sound insulation
- Moisture resistance and long service life

FOLDING CONFIGURATIONS




WINDOW SYSTEMS

70 Lift Window

Vertical lift opening for compact, practical ventilation.



70 LIFT WINDOW



VERTICAL LIFT - OPENING SCHEMATIC

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Vertical lift
Finishes	Black, Sand Grey and White (customizable)
Applications	Residences, villas, commercial spaces and offices

PRODUCT FEATURES



- Smooth vertical lift operation
- Space-saving opening configuration
- Multiple colors and styles
- Thermal and sound insulation
- Easy cleaning and maintenance

Performance varies by size, glazing and hardware. Final technical data is confirmed for each project.

WINDOW SYSTEMS

158 Electric Lift Window


Vertical electric opening with infrared anti-pinch control.





APP CONTROL

WEATHER SENSING



CONFIGURATION OPTIONS

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Vertical lift
Finishes	Metallic Grey, Metallic Brown and Metallic Coffee (customizable)
Applications	Residences, villas, commercial spaces, offices and large balconies

Design style: Modern


PRODUCT FEATURES

- Electric opening and infrared anti-pinch function
- Wind, rain, voice and light-sensing control modes
- Controls for windows, curtains, sunshades and ambient lighting
- Thermal insulation and drainage design
- Easy cleaning and maintenance

DOOR SYSTEMS

50/70 Casement Door

Hinged aluminum door system without flyscreen.



PROFILE SECTION



CASEMENT DOOR WITHOUT FLYSCREEN

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Hinged / casement
Flyscreen	Without flyscreen
Finishes	Black, Sand Grey and White (customizable)

PRODUCT FEATURES

- Clean hinged opening system
- Strong aluminum frame construction
- Multiple finish options
- Good sealing and weather resistance
- Suitable for residential and project use

Door size, glazing, hardware and threshold can be customized to suit the project drawings.

DOOR SYSTEMS

85/110 Casement Door with Flyscreen

Hinged aluminum door system with integrated flyscreen.




ALUMINUM FRAME



HANDLE & LOCK



HINGES



FLYSCREEN

Fibreglass / stainless steel mesh

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Hinged / casement
Flyscreen	Integrated flyscreen
Finishes	Black, Sand Grey and White (customizable)

PRODUCT FEATURES


- Clean hinged opening system
- Strong aluminum frame construction
- Multiple finish options
- Good sealing and weather resistance
- Suitable for residential and project use

Door size, glazing, hardware and threshold can be customized to suit the project drawings.

DOOR SYSTEMS

126 Two-Track Sliding Door

A two-track sliding door system without a flyscreen.



3-panel cascade
48-inch panels



4-panel cascade
36-inch panels



4-panel center opening
36-inch panels



4-panel fixed
36-inch panels

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	2-track sliding
Flyscreen	Without flyscreen
Finishes	Black, Sand Grey and White (customizable)

PRODUCT FEATURES

- 2-track sliding configuration
- Wide opening and practical space use
- Multiple colors and styles
- Smooth roller operation
- Suitable for balconies, patios and large openings

Track layout, panel quantity, glazing and hardware are customized to the opening size and project requirements.

DOOR SYSTEMS

186 Three-Track Sliding Door with Flyscreen

A three-track sliding door system with a flyscreen.



SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	3-track sliding
Flyscreen	Integrated flyscreen track
Finishes	Black, Sand Grey and White (customizable)

PRODUCT FEATURES

- 3-track sliding configuration
- Wide opening and practical space use
- Multiple colors and styles
- Smooth roller operation
- Suitable for balconies, patios and large openings

Track layout, panel quantity, glazing and hardware are customized to the opening size and project requirements.

DOOR SYSTEMS

73 Folding Door

Folding door panels open and stack to the side.



73 FOLDING DOOR

Panel quantity, folding direction, threshold and glazing are customized to the project opening.



SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Folding
Finishes	Black, Sand Grey and White (customizable)
Applications	Villas, patios, balconies and large openings

PRODUCT FEATURES

- Multiple folding panel configurations
- Wide clear opening when folded
- Flexible left/right stacking options
- Multiple colors and styles
- Durable hardware and easy operation

FOLDING CONFIGURATIONS




DOOR SYSTEMS

150 Electric Sliding Door

Intelligent operation and optional access-control devices.



ELECTRIC SLIDING SYSTEM



TRACK AND GLAZING SECTION

INTELLIGENT CONTROL

Wind, rain, voice and light-sensing control modes can coordinate windows, protective curtains, sunshades and ambient lighting.

OPTIONAL ACCESS DEVICES



Face recognition
access control



Fingerprint / card
access control



Microwave
sensor




Wireless touch
switch

Access options include face recognition, card, password, fingerprint and mobile app control.

DOOR SYSTEMS

120 Panoramic Sliding Door

A wide field of vision with barrier-free access.



THRESHOLD DETAIL

PROFILE SECTION

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Sliding
Finishes	Black Gold and Galaxy Grey (customizable)
Applications	Residences, villas, commercial spaces, offices and large balconies

Design style: Modern

PRODUCT FEATURES

- Thermal insulation and dedicated drainage design
- Multiple finish options
- High strength; acid and alkali resistance
- Anti-theft performance and long service life
- Easy installation, cleaning and maintenance


DOOR SYSTEMS

76 Lift Door

Broad views with an optional sensor-driven electric opening system.



GLAZING SECTION



FRAME DETAIL



HANDLE DETAIL

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Lift sliding door
Finishes	Black Gold and Galaxy Grey (customizable)
Applications	Residences, villas, commercial spaces, offices and large balconies

Design style: Modern


PRODUCT FEATURES

- Wide views and a transparent appearance
- Optional sensor-driven electric opening
- Thermal insulation and drainage design
- High strength; acid and alkali resistance
- Anti-theft performance and long service life
- Easy installation, cleaning and maintenance

DOOR SYSTEMS

Ultra-narrow Sliding Door

Minimalist frames for open views and flexible interiors.



PROFILE SECTION

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Sliding
Finishes	Black and White (customizable)
Applications	Residences, villas, commercial spaces, offices and large balconies

Design style: Modern

PRODUCT FEATURES

- Ultra-narrow frames for an expanded view
- Reduced frame area
- Multiple colors and styles
- High strength; acid and alkali resistance
- Anti-theft performance and long service life
- Easy installation, cleaning and maintenance

DOOR SYSTEMS

Medium-narrow Swing Door

A slim hinged design with a choice of glazed door styles.



STYLE 01



STYLE 02



STYLE 03

SPECIFICATIONS

Frame	6063-T5 high-quality aluminum alloy
Glazing	Double-layer tempered glass
Opening	Hinged swing
Finishes	Black, Sand Grey and White (customizable)
Applications	Residences, villas, commercial spaces, offices and bathrooms

Design style: Modern

PRODUCT FEATURES

- Simple styling with a reduced frame area
- Multiple colors and styles
- Thermal insulation and tight sealing
- High strength; acid and alkali resistance
- Anti-theft performance and long service life
- Easy installation, cleaning and maintenance

YOUR SALES CONTACT

LET'S PLAN YOUR PROJECT

Product enquiries and quotation requests through Kallisto NV.

KALLISTO NV

Sales partner for Rainbow Home

kallistoaruba@gmail.com

www.kallistostore.com

www.rainbow-home.com



VISIT THE WEBSITE

SEND US YOUR PROJECT BRIEF

01 Product and quantity

The series name, opening style and number of units.

02 Opening dimensions and drawings

Width, height and any plans or reference images.

03 Finish and configuration

Frame finish, glazing and flyscreen preferences.

04 Project location and timing

Where the products will be used and your requested schedule.

Rainbow Home products. Available through Kallisto NV.